

Led circolare T9

500808X



LED CIRCOLARE G10Q

Led circular (G10Q socket)



24W
2500Lm
360°

Dati generali

Product overview



Codice prodotto/Product code	500808X
Attacco/Socket	G10Q
Materiale/Housing material	Vetro (terminali in materiale metallico)
Colore/Colour	Opale
Certificazione/Certifications	CE
Lumen/Lumen	2500
Gradi Kelvin/Kelvin degrade (K)	Tricolor 3000K-4000-6500K
Angolo/Beam angle	360°
RA/RA	>80
Consumo/Power	24W
Tensione/Voltage	230V 50/60Hz
Classe energetica/Energy label	F
Durata/Life	15.000 ore
Dimensioni articolo/Carton product	ø400x32mm
Dimensioni scatola singolo/Gift box	405x405x38mm
Dimensioni cartone/Carton dimensions	Updating
Imballo/Packing	10

Scheda Tecnica - Technical Sheet



Led circolare T9

500808X


Packaging

Scatola con stampa in quadricromia Giftbox 4 colours



CONFEZIONE SINGOLA

Giftbox



Export carton

Bar code:
Position 4 sides
in the upper left

500808X



Central sides
Shipping mark:



P/I NO.:
LOT NO.: 32-143-25
CTN NO.:
MADE IN P.R.C.
ITEM NO.: 500808X



Lateral sides
Shipping mark:



Importato da: Poliplast srl
Strada Rosso del Fico snc - Edificio A2 int. 5
95121 Catania




Made in P.R.C.
www.poliplast.it

Led circolare T9 220-240V~ 50/60Hz 24W tricolor


QTY:	10	PCS
G.W.:		Kg
N.W.:		Kg
MEAS:		CM

500808X




Dettagli Tecnici

Dimensioni
Dimensions




Labels

Targhetta specifiche tecniche
Technical label



Etichetta energetica



Altri simboli

